

#3

## THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of

Judith F. Miller

Serial No. 09/911,620

Date Allowed:

Batch No.:

Filing Date: July 24, 2001

Examiner:

Group Art Unit:

For: Hook and Loop System for Attaching a Breast Form Prosthesis to  
Garments with Built-In Cups

Commissioner for Patents  
Washington, DC 20231

Sir:

## TRANSMITTAL OF FORMAL DRAWINGS

Attached please find the formal drawings for the above application  
comprising 5 sheets (Figures 1 to 5).

Respectfully submitted,

Judith F. Miller

By: 

Guy D. Yale, Esq.

Reg. No. 29,125

Alix, Yale &amp; Ristas, LLP

Attorney for Applicant

Date: September 11, 2001  
750 Main Street  
Hartford, CT 06103-2721  
(860) 527-9211  
Our Ref: MILJ/101/US  
GDY/tlc

Attorney's Ref: MILJ/101/US

I hereby certify that this correspondence is being deposited on the date below with the United States Postal Service as first class mail in an  
envelope addressed to "Box Issue Fee, Commissioner for Patents, Washington, DC 20231."


Signature: 

Guy D. Yale

Reg. No.: 29,125

Date: September 11, 2001

03C0



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/911,620	07/24/2001	Judith F. Miller	MILJ/101/US

002543  
ALIX YALE & RISTAS LLP  
750 MAIN STREET  
SUITE 600  
HARTFORD, CT 06103

CONFIRMATION NO. 4970

## FORMALITIES LETTER



\*OC000000006413428\*

Date Mailed: 08/13/2001

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. ( 5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center  
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

002543 03C0 08/13/2001